



KONICA MINOLTA

AccurioPrint C759 DATASHEET

✧ Colour SRA3+ digital press

✧ Up to 75 ppm b/w and 65 ppm colour

Competitive prices and a good product mix are essential factors for being successful in today's markets. In the print industry, this means a combination of a wide range of products, reliable technology and cost-effective calculation. The AccurioPrint C759 is the answer to these challenges, offering a good mix of features, technologies and investment to drive a successful printing business.



YOUR ADVANTAGES WITH THE AccurioPrint C759

HIGHEST RELIABILITY

- Long-lasting parts and consumables
- Auto Refining Developer System (ARDS)
- For prints with maximum efficiency
- For lucrative short-run printing

DURABLE PERFORMANCE

- Up to 65 A4 pages in colour
- Up to 32 A3 pages in colour
- Enhanced overall scanning performance for scanning and copying
- For higher productivity
- For more jobs in the print room

READY MADE PRINT PRODUCTS

- 20-sheet booklet making
- 100-sheet stapling
- For highest automation and enormous productivity
- For more profit in the print room

GEARED UP FINISHING

- Letter fold-in
- Stacking up to 3,000 sheets
- Optional 2- & 4-hole punching
- Minimised human interaction
- For optimised budgets



ENVIRONMENT AWARENESS

- Low power consumption
- Contains recycled plastic and bioplastic
- For reduced environmental impact
- Improved efficiency based on green values



HIGH END PRINT CONTROL

- Internal EFI controller
- Command workstation
- Optional Fiery productivity package
- For intuitive operations
- To save time and money

EASE OF USE

- Innovative 10-inch capacitive colour touch screen panel
- Pop-up windows open for all function settings
- Seamless integration into document workflows
- For maximum ease of operation
- Frees operators for more important jobs



SOPHISTICATED MEDIA HANDLING

- Up to 6,650 sheets paper input capacity
- Up to 6 paper input trays
- For enhanced overall productivity
- For extreme cost savings

COMPREHENSIVE MEDIA PROCESSING

- Up to 300 gsm paper weight in simplex
- Up to 256 gsm paper weight in duplex
- Banner printing support
- For highly flexible print products
- To stand out from the competition

PERFECT IMAGE QUALITY

- True 1,200 x 1,200 dpi resolution
- Simitri® HD toner technology
- For new print applications
- For growing businesses

Simitri HD
High Definition Polymerised Toner

Configuration options



Technical specifications

SYSTEM SPECIFICATIONS

Resolution	1,800 x 600 dpi 1,200 x 1,200 dpi
Paper weight	52–300 gsm
Duplex unit	Non-stack type; 52–256 gsm
Paper sizes	A6–SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm
Maximum image area	307 x 437 mm (SRA3); 302 x 448 mm (A3+)
Paper input capacity	Standard: 3,650 sheets Max.: 6,650 sheets
Paper output capacity	Max.: 3,200 sheets
Main unit dimensions (W x D x H)	670 x 938 x 1,232 mm
Main unit weight	219 kg

PRODUCTIVITY

A4 Colour - max. per minute	65 ppm
A3 Colour - max. per minute	32 ppm
A4 Mono - max. per minute	75 ppm
A3 Mono - max. per minute	37 ppm

CONTROLLER

Internal EFI Fiery controller	IC-418
--------------------------------------	--------

SCANNER SPECIFICATIONS

Scan speed A4	1-sided original: 60 ipm (600 dpi), 120 ipm (300 dpi) 2-sided original: 120 ipm (600 dpi), 240 ipm (300 dpi)
Scan resolution	600 x 600 dpi
Scan modes	Scan-to-eMail (Scan-to-Me) Scan-to-SMB (Scan-to-Home) Scan-to-FTP Scan-to-Box Scan-to-USB Scan-to-WebDAV Scan-to-DPWS Network TWAIN scan
Scan formats	JPEG; TIFF; PDF; PDF/A 1a and 1b (optional); compact PDF; encrypted PDF; searchable PDF (optional); XPS; compact XPS; PPTX; searchable PPTX (optional); searchable DOCX/XLSX (optional)
Destinations	2,100 (single + group), LDAP, PSDA support

- All specifications refer to A4-size paper of 80 gsm quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any prices or specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

COPIER SPECIFICATIONS

Gradations	256 gradations
FCOT (mono/colour)	≤3.6 / ≤4.9 seconds
Magnification	25–400%, in 0.1% steps
Multiple copies	1–9,999
Original format	A6S, B6S, A5–A3

ACCESSORIES

Large capacity tray A4	LU-303
Large capacity tray SRA3	LU-205
Staple finisher	FS-536
Punch kit for FS-536/SD	PK-520
Booklet finisher	FS-536SD
Staple finisher	FS-537
Punch kit for FS-537/SD	PK-523
Booklet finisher	FS-537SD
Post inserter for FS-537/SD	PI-507
Job separator for FS-537/SD	JS-602
Z-fold unit for FS-537/SD	ZU-609
Output tray	OT-508
Key pad	KP-101
Working table	WT-506
Upright panel	WT-513
Fax board	FK-516
Keyboard holder	KH-102
USB keyboard connection	EK-610
USB keyboard connection, Bluetooth	EK-611
Biometric authentication	AU-102
Security kit	SC-508
Double feed detection kit	UK-501
Wireless Lan AP	UK-215
Trusted Platform Module (TPM)	LK-115v2
Mount kit for ID card reader	MK-735
Mount kit banner tray	MK-715
Banner tray	BT-C1e
HDD Mirroring	HD-524
i-Option licence PDF/A, PDF encryption, digital signature	LK-102v3
i-Option licence searchable PDF and PPTX	LK-105v4
i-Option licence printing barcode fonts	LK-106
i-Option licence printing of Unicode fonts	LK-107
i-Option licence printing of OCR (A and B) fonts	LK-108
i-Option licence generates various file formats, incl. DOCX and XLSX	LK-110
i-Option licence serverless pull printing	LK-114
i-Option licence trusted platform module for protection of data encryption and decryption	LK-115
i-Option licence native ThinPrint client	LK-111
Wireless LAN	SX-BR-4600
Fax stamp kit	SP-501
Relay unit	RU-515